

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A digital image storage system comprising:
 - a digital camera having a memory capable of storing digital images;
 - a data storage including a docking station on which the digital camera can be placed, the data storage further including a storage medium that stores the digital images transmitted from the digital camera memory through the docking station; and
 - a controller that executes a program for controlling the transmission and the storage of the digital images in at least one folder in the storage medium, wherein after receiving a first command that will result in the transmitted digital images being stored in a predetermined folder, the controller waits for a predetermined period for a second command that designates a different folder in which the digital images are to be stored, and executes the second command if the second command is received within the predetermined period, the controller automatically executing the first command and storing the images in the predetermined folder if the predetermined period passes without receiving the second command.
2. (Previously Presented) The digital image storage system according to claim 1, further comprising a manually operable member for generating the second command.
3. (Original) The digital image storage system according to claim 2, wherein the manually operable member is arranged at the digital camera.
4. - 5. (Canceled)
6. (Currently Amended) A digital image storage system comprising:
 - a digital camera having a memory capable of storing digital images;
 - a docking station on which the digital camera can be placed;

15. (Previously Presented) The digital image storage system according to claim 6, wherein the controller is located at the data storage.

16. (Previously Presented) The digital image storage system according to claim 6, wherein the controller receives a signal from the docking station to execute the program.

17. (Previously Presented) The digital image storage system according to claim 6, further comprising a user interface for generating the second command.

18. (Previously Presented) The digital image storage system according to claim 6, wherein the controller executes the program to automatically generate the first command.

19. (Currently Amended) A processor executable computer program product storing a program that includes instructions that when executed by a processor, causes the processor to perform a method comprising:

receiving a first command that will result in the transmission of digital images from a digital camera through a docking station, and to a predetermined folder in a storage medium;

waiting for a predetermined period for a second command that designates another folder in which the digital images are to be stored in the storage medium; and

executing the second command if the second command is received within the predetermined period, the first command being executed automatically to store the images in the predetermined folder if the predetermined period passes without receiving the second command.

a storage medium that stores the digital images transmitted from the digital camera memory through the docking station; and

a controller that executes a program for controlling the transmission and the storage of the digital images in at least one folder in the storage medium;

wherein after receiving a first command that will result in the transmitted digital images being stored in a predetermined folder, the controller waits for a predetermined period for a second command that designates a different folder in which the digital images are to be stored, and executes the second command if the second command is received within the predetermined period, the controller automatically executing the first command and storing the images in the predetermined folder if the predetermined period passes without receiving the second command.

7. (Previously Presented) The digital image storage system according to claim 6, further comprising a manually operable member for generating the second command.

8. (Original) The digital image storage system according to claim 7, wherein the manually operable member is arranged at the digital camera.

9. - 10. (Canceled)

11. (Previously Presented) The digital image storage system according to claim 1, wherein the controller is located at the data storage.

12. (Previously Presented) The digital image storage system according to claim 1, wherein the controller receives a signal from the docking station to execute the program.

13. (Previously Presented) The digital image storage system according to claim 1, further comprising a user interface for generating the second command.

14. (Previously Presented) The digital image storage system according to claim 1, wherein the controller executes the program to automatically generate the first command.